

according to UK REACH Regulation

Sanosil MC-S

Revision date: 30.06.2023 Product number: 40MC401000 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sanosil MC-S

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Acid membrane cleaner

Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

Sanosil AG Company name: Street: Eichtalstrasse 49 Place: CH-8634 Hombrechtikon

Telephone: 055 254 00 54 Telefax: 055 254 00 59

kundeninfo@sanosil.ch e-mail:

Peter Gömöri Contact person: Internet: www.sanosil.ch

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

methylsulphonic acid

Signal word: Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe mist and vapours. P264 Wash hands thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container to industrial incineration plant.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



according to UK REACH Regulation

Sanosil MC-S

Revision date: 30.06.2023 Product number: 40MC401000 Page 2 of 9

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
75-75-2	methylsulphonic acid			5 - < 10 %	
	200-898-6	607-145-00-4			
	Met. Corr. 1, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT SE 3; H290 H312 H302 H314 H335				
15763-76-5	Sodium p-cumenesulphonate				
	239-854-6		01-2119489411-37		
	Eye Irrit. 2; H319				
164524-02-1	potassium p-cumenesulphonate				
	629-764-9		01-2119489427-24		
	Eye Irrit. 2; H319				
	fatty alcohol ethoxylate				
	Acute Tox. 4, Eye Irrit. 2, Aquatic Chronic 3; H302 H319 H412				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Specific Conc. Limits, M-factors and ATE	
75-75-2 200-898-6 methylsulphonic acid		methylsulphonic acid	5 - < 10 %
	dermal: LD50 = > 1000 mg/kg; oral: LD50 = 649 mg/kg		
		fatty alcohol ethoxylate	1 - < 2.5 %
	oral: LD50 = > 300 - 2000 mg/kg		

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % anionic surfactants, < 5 % non-ionic surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. If medical advice is needed, have product container or label at hand.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Stomach perforation. Do not allow a neutralisation agent to be drunk. Call a physician

Print date: 30.06.2023



Safety Data Sheet

according to UK REACH Regulation

Sanosil MC-S

Revision date: 30.06.2023 Product number: 40MC401000 Page 3 of 9

immediately.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date. In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Foam, Carbon dioxide (CO2), Dry extinguishing powder, Water spray.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). After cleaning, flush away traces with water. The product needs to apply neutralizing agents before draining to wastewater treatment plants. Treat the recovered material as prescribed in the section on waste disposal. Dispose according to legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

After use replace the closing cap immediately. Avoid contact with skin and eyes. Wear personal protection equipment. Observe instructions for use. Use only in well-ventilated areas.

Advice on protection against fire and explosion

The product is not: Combustible. The product is not: Explosive.

Advice on general occupational hygiene

Keep eye rinsing device ready. Avoid contact with skin and eyes. Avoid breathing vapours/spray. Change



according to UK REACH Regulation

Sanosil MC-S

Revision date: 30.06.2023 Product number: 40MC401000 Page 4 of 9

contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Apply skin care products after work.

Further information on handling

No special handling instructions are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed. Protect from direct sunlight. Store in a cool dry place. Recommended storage temperature: at room temperature. Store in a place accessible by authorized persons only. Keep container in a well-ventilated place.

Hints on joint storage

Do not store together with: Alkali (lye), Food and fodder.

Further information on storage conditions

Minimum storage temperature: 5°C Maximum storage temperature: 30°C

Storage class (TRGS 510):

8B (Non-combustible corrosive substances)

7.3. Specific end use(s)

Follow the instructions for use on the label.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

8.2. Exposure controls







Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses. Eye-pieces out of plastic. EN 166

Hand protection

Tested protective gloves must be worn (EN ISO 374).

Suitable material: NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber)

Thickness of the glove material: >= 0,4 mm

Breakthrough time:: <= 480 min

Observe the wear time limits as specified by the manufacturer.

Skin protection

Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

Usually no personal respirative protection necessary. Avoid breathing vapours/spray.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Print date: 30.06.2023



Safety Data Sheet

according to UK REACH Regulation

Sanosil MC-S

Revision date: 30.06.2023 Product number: 40MC401000 Page 5 of 9

Colour: colourless
Odour: characteristic

Boiling point or initial boiling point and

No data available

boiling range:

Flash point: No data available pH-Value: 1.0 - 2.0 Water solubility: completely miscible Density: 1.070 - 1.090 g/cm³

9.2. Other information

none

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Alkalis (alkalis).

10.4. Conditions to avoid

Protect against: Frost, Heat. Protect from sunlight.

10.5. Incompatible materials

May be corrosive to metals.

10.6. Hazardous decomposition products

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route Dose		Species	Source	Method	
75-75-2	methylsulphonic acid					
	oral	LD50 649 mg/kg	(Rat)			
	dermal	LD50 > 1000 mg/kg	(Rabbit)			
	fatty alcohol ethoxylate					
	oral	LD50 > 300 - 2000 mg/kg	Rat			

Irritation and corrosivity

Causes severe skin burns and eye damage. (On basis of test data)

Causes serious eye damage. (On basis of test data)

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Print date: 30.06.2023



Safety Data Sheet

according to UK REACH Regulation

Sanosil MC-S

Revision date: 30.06.2023 Product number: 40MC401000 Page 6 of 9

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification according to Regulation (EC) No 1272/2008 [CLP] Calculation method. The product has not been tested

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
75-75-2	methylsulphonic acid	methylsulphonic acid						
	Acute fish toxicity	LC50	73 mg/l	96 h	(Oncorhyncus mykiss)			
	Acute algae toxicity	ErC50 mg/l	12 - 24	1	(Selenastrum capricomutum)			
	Acute crustacea toxicity	EC50 mg/l	10 - 100	48 h	(Daphnia magna)			
	fatty alcohol ethoxylate							
	Acute fish toxicity	LC50 mg/l	> 1 - 10		Leuciscus idus (golden orfe)			
	Acute crustacea toxicity	EC50 mg/l	> 1 - 10	48 h	Daphnia magna			

12.2. Persistence and degradability

The product has not been tested. The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

CAS No	Chemical name			
	Method	Value	e d	Source
	Evaluation			
	fatty alcohol ethoxylate			
	(mod. OECD 301E)	>90	28	
	Bismuth-active substance			
	(mod. OECD 301F)	>60	28	
	Product is biodegradable.			

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

If product enters soil, it will be mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects



according to UK REACH Regulation

Sanosil MC-S

Revision date: 30.06.2023 Product number: 40MC401000 Page 7 of 9

There are no data available on the mixture itself.

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP] Calculation method. The product has not been tested

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

List of Wastes Code - used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

Contaminated packaging

Completely emptied packages and rinsed out with plenty of water can be disposed of as refuse. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 3265

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(methylsulphonic acid)

14.3. Transport hazard class(es): 8
14.4. Packing group: ||

Hazard label: 8



Classification code: C3
Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3265

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

8

(methylsulphonic acid)

14.3. Transport hazard class(es):

14.4. Packing group:IIHazard label:8





according to UK REACH Regulation

Sanosil MC-S

Revision date: 30.06.2023 Product number: 40MC401000 Page 8 of 9

Classification code: C3
Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 3265

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(methylsulphonic acid)

 14.3. Transport hazard class(es):
 8

 14.4. Packing group:
 II

 Hazard label:
 8



Special Provisions:274Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-BSegregation group:1 - acids

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3265

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(methylsulphonic acid)

 14.3. Transport hazard class(es):
 8

 14.4. Packing group:
 II

 Hazard label:
 8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

0.5 L

Y840

Excepted quantity:

E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Status: Classification of mixtures according to AwSV annex 1, no. 5 (D)

Additional information

Water hazard class (CH): Class B (Self-classification)



according to UK REACH Regulation

Sanosil MC-S

Revision date: 30.06.2023 Product number: 40MC401000 Page 9 of 9

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,7,9,14,15.

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects

Further Information

For industrial purposes only. Follow the instructions for use on the label. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)